Rittal - The System.

Faster – better – everywhere.





DK 7451.000 Small Fiber Optic Distributors

State: 2025-11-03 (Source: rittal.com/ca-en)



DK 7451.000 - Small Fiber Optic Distributors with mounting plate and splicing cassette accommodation

Small fiber optic distributor of fiberglass-reinforced polycarbonate with mounting plate and PG cable glands. Protection category IP 66.



Features

| Model No. | DK 7451.000 |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Benefits | Mounting plate with variable accommodation for up to two splicing cassettes (cassette width variable from 92 to 120 mm) and integral anti-twist guard Dividing plate with comb strip for cable clamping, to cover the splicing cassette, and to accommodate 2 patch panels Cable entry via prepunched knockouts using cable glands (2 x 22.5 mm and 12 x 12.5 mm) |
| Material | Housing with cover: Fiberglass-reinforced polycarbonate Cover screws: Polyamide Insulating bungs: Polyamide Foamed-in PU seal |
| Color | RAL 7035 |
| Supply includes | Housing with knockouts for cable glands Hinged cover with seal 2 cover screws, prepared for a lead seal Insulating bungs for wall mounting Mounting panel Dividing plate 12 cable glands M12 x 1.5 1 cable gland M20 x 1.5 |

© Rittal 2025

Features

| Dimensions | Width: 180 mm Height: 254 mm |
|--------------------------------------------|---------------------------------|
| | Depth: 90 mm |
| Max. no. of fibers when using patch panels | 24 |
| Base material | Polycarbonate |
| Protection category IP to EN 60 529 | IP 66 |
| Packaging unit | 1 pc(s). |
| Net weight | 1.52 |
| Gross weight | 1.76 |
| Customs tariff number | 94032080 |
| EAN | 4028177130562 |
| ETIM 9 | EC002500 |
| ECLASS 8.0 | 27180208 |

© Rittal 2025 3