

**Rittal – The System.**

Faster – better – everywhere.



**DK 7466.035**

**Component Shelf for Frame  
Attachment**

State: 2026-01-26 (Source: [rittal.com/ca-en](https://rittal.com/ca-en))



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# DK 7466.035 - Component Shelf for Frame Attachment for cabinet width 600 mm, 800 mm

For installation in cabinets without 482.6 mm (19") mounting.

## Features

|                      |   |
|----------------------|---|
| Model No.            | DK 7466.035   |
| Version              | Slotted   |
| Product description  | For frame attachment, installed in enclosures without 482.6 mm (19") accommodation.   |
| Benefits             | Mounting bolts or mounting rails may be installed on a 25 mm hole pattern in the enclosure depth<br>Mounting hole for handles provided.   |
| Applications         | For installing in enclosures without 482.6 mm (19") feature   |
| Material             | Carbon steel  |
| Surface finish       | Spray-finished  |
| Color                | RAL 7035  |
| Supply includes      | Component shelf, slotted<br>2 pcs. mounting rail  |
| Installation options | Static installation: Component shelf, 50 kg with fixing bolts on punched section without mounting flange<br>Static installation: Component shelf, 100 kg with mounting rails on punched sections without mounting flange<br>Depth variable: device base with telescopic rails on mounting chassis |
| Load capacity        | 100 kg surface load   |
| Mounting tip         | Two system chassis are also required for the inner mounting level   |
| Note                 | Max. depth of component shelves = Enclosure depth - 100 mm.   |
| Dimensions           | Width: 471 mm<br>Height: 45 mm<br>Depth: 600 mm   |

# Features

|                                     |  |
|-------------------------------------|--|
| Suitable for                        | Enclosure type: VX<br>VX IT<br>TS IT<br>Width: 600 mm  |
| Packaging unit                      | 1 pc(s).   |
| Net weight                          | 7.288  |
| Gross weight                        | 7.76   |
| PCF/VE (cradle-to-gate)             | 29.2 kg CO2 eq (Cat B)   |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 94039910   |
| EAN                                 | 4028177165991  |
| ETIM 9                              | EC002620   |
| ECLASS 8.0                          | 27189261   |