

# Rittal – The System.

Faster – better – everywhere.



## TS 8609.130 Divider panel for module plates

State: 2025-09-17 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8609.130 - Divider panel for module plates for TS

With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment.



## Features

Model No.	TS 8609.130
Product description	With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment. All-round, double edging for stability and to accommodate the seal. The symmetry of the enclosure frame means divider panels of the appropriate dimensions can also be fitted at the rear.
Benefits	<p>More options: The cut-outs of a divider panel are individually equipped with module plates for 16-pole or 24-pole connectors, with module plates for cable entry and with solid module plates.</p> <p>Faster assembly: Usually only some of the total number of connector cut-outs are used. Thanks to the new divider panel technique, the cut-outs do not need to be covered individually. The solid module plate is used instead. The benefit: Fewer plates, fewer screws, less assembly work.</p>
Applications	Notches in the corners and half-way up the sides permit the use of angular baying brackets and baying brackets, even with a divider panel fitted.

# Features

Material	Carbon steel, 2.0 mm
Surface finish	Zinc-plated
Supply includes	Assembly components and multi-tooth screws M5 x 12 mm for mounting the module plates.
Suitable for	Enclosure type: TS Height: = 2,000 mm Depth: = 600 mm
Installation options	Mounted on the outer mounting level The inner level remains free for further expansion
Packaging unit	1 pc(s).
Net weight	10.239
Gross weight	10.778
Customs tariff number	94039910
EAN	4028177211759
ETIM 9	EC002525
ECLASS 8.0	27182102