Rittal – The System.

Faster - better - everywhere.





TS 8612.080 TS System Chassis 17 x 73 mm

State: 2025-11-07 (Source: rittal.com/ca-en)



TS 8612.080 - TS System Chassis 17 x 73 mm

For universal skeleton structures or partial assembly. Simply locate into the punchings and secure.







2

Features

TO 0640 000
TS 8612.080
For the inner mounting level and for mounting on doors
For universal skeleton structures or partial assembly. Simply locate onto the punchings and secure.
Carbon steel
Zinc-plated
Assembly screws
790 mm
900 mm
On the vertical TS, VX SE enclosure profile: on the inner mounting level, all-round, height-offset For SE, may additionally be mounted on the top horizontal section in the depth
In the tubular door frame for TS, SE and PC
In TP via rails for interior installation: in width, for inner mounting level
As installation kit for device bases in TS, VX SE, simply hook in and secure
The rail for interior installation is required when installing in TP

© Rittal 2025

Features

Suitable for	Enclosure type: VX SE
	TP
	PC
	IW
	TX CableNet
	Suitable for width/depth: 800 mm
Packaging unit	4 pc(s).
Net weight	3.384
Gross weight	3.54
PCF/VE (cradle-to-gate)	13.7 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
EAN	4028177212107
ETIM 9	EC002625
ECLASS 8.0	27189234

© Rittal 2025 3