

# Rittal – The System.

Faster – better – everywhere.



## TS 8612.150

## TS System Chassis 17 x 73 mm

State: 2025-09-03 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8612.150 - TS System Chassis 17 x 73 mm

For universal skeleton structures or partial assembly. Simply locate into the punchings and secure.



## Features

|                      |  |
|----------------------|--|
| Model No.            | TS 8612.150  |
| Version              | For the outer mounting level   |
| Product description  | For universal skeleton structures or partial assembly. Simply locate onto the punchings and secure.  |
| Material             | Carbon steel   |
| Surface finish       | Zinc-plated  |
| Supply includes      | Assembly screws  |
| Length               | 440 mm   |
| Installation options | On the vertical TS, VX SE enclosure profile: on the inner mounting level, all-round, height-offset<br>On the horizontal VX SE enclosure section top, in depth<br>In TP via rails for interior installation: in width, for inner mounting level<br>As installation kit for device bases in TS, VX SE, simply hook in and secure |
| Mounting tip         | The rail for interior installation is required when installing in TP   |
| Suitable for         | Enclosure type: VX SE<br>TP<br>PC<br>IW<br>Suitable for width/depth: 500 mm  |

# Features

|                                     |  |
|-------------------------------------|--|
| Packaging unit                      | 4 pc(s).   |
| Net weight                          | 1.92   |
| Gross weight                        | 1.96   |
| PCF/VE (cradle-to-gate)             | 7.6 kg CO2 eq (Cat B)  |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 73269098   |
| EAN                                 | 4028177212145  |
| ETIM 9                              | EC002625   |
| ECLASS 8.0                          | 27189234   |