

Rittal – The System.

Faster – better – everywhere.



VX 8617.020

System chassis 18 x 64 mm

State: 2026-05-22 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8617.020 - System chassis 18 x 64 mm for VX

For variable and individual interior installation of the enclosure frame on the outer mounting level.



Features

| | |
|----------------------|--|
| Model No. | VX 8617.020 |
| Product description | For variable and individual interior installation of the enclosure frame on the outer mounting level. |
| Benefits | Simply place into the system punchings from the outside and screw-fasten System punchings on all four sides With pre-bayed enclosures, the system chassis can also be mounted from the inside of the enclosure |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Installation options | On the outer mounting level on the enclosure section On the outer mounting level between two 23 x 64 mm system chassis |
| Suitable for | Enclosure type: VX Width/depth: 500 mm |
| Packaging unit | 4 pc(s). |
| Net weight | 2 kg |

Features

| | |
|-------------------------|---|
| Gross weight | 2.075 kg |
| PCF/VE (cradle-to-gate) | 9.99 |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ECLASS 8.0 | 27189234 |
| Product description | VX Punched section, with mounting flange 18 x 64 mm, for outer mounting level |

Approvals

| | |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|