

# Rittal – The System.

Faster – better – everywhere.



## VX 8617.503

## Baying connector, external

State: 2025-12-08 (Source: [rittal.com/ca-en](https://rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.503 - Baying connector, external for VX, VX IT

For mounting on vertical enclosure sections from the outside.

## Features

|                                     |                                                                  |
|-------------------------------------|------------------------------------------------------------------|
| Model No.                           | VX 8617.503                                                      |
| Product description                 | For mounting on vertical enclosure sections from the outside.    |
| Material                            | Stainless steel 1.4301 (AISI 304)                                |
| Supply includes                     | Baying connector, external<br>Baying seal<br>Assembly components |
| Note                                | 1 pack is sufficient for one baying area                         |
| Suitable for                        | Enclosure type: VX<br>VX IT                                      |
| Type rating according to UL 50E     | Type 1<br>Type 3R<br>Type 4<br>Type 4X<br>Type 12                |
| Protection category IP to IEC 60529 | IP 55                                                            |
| Packaging unit                      | 6 pc(s).                                                         |
| Net weight                          | 0.822                                                            |
| Gross weight                        | 0.84                                                             |
| Customs tariff number               | 73269098                                                         |
| EAN                                 | 4028177919358                                                    |
| ETIM 9                              | EC002622                                                         |
| ECLASS 8.0                          | 27189263                                                         |

# Approvals

---

Approvals

UL + C-UL - FTTA