Rittal – The System.

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

VX 8617.540 Partial Mounting Plates

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 2025-08-24 (Source: rittal.com/ca-en)



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8617.540 - Partial Mounting Plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

| Model No. | VX 8617.540 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product description | To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications. |
| Material | Carbon steel, 2.5 mm |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Suitable for door width | 600 mm |
| Installation options | The installation can be done either standing up as a vertical mounting surface or lying flat as a horizontal floor Attachment is directly on the enclosure section It is attached via the system chassis at any mounting level in the enclosure in the case of an advanced design For multi-level installation of the partial mounting plates one behind the other, they can be made swingable through the hinge attachment for quick access to the levels behind them |
| Note | Adaptor rail VX is required for installation in VX SE, PC, IW |
| Dimensions | Width: 500 mm Depth: 700 mm |
| Suitable for | Enclosure type: VX VX SE PC Width: = 600 mm = 800 mm Depth: = 600 mm = 800 mm |

Features

| Packaging unit | 1 pc(s). |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Net weight | 8.82 |
| Gross weight | 9.22 |
| PCF/VE (cradle-to-gate) | 35.1 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 94039910 |
| EAN | 4028177919396 |
| ETIM 9 | EC000213 |
| ECLASS 8.0 | 27409216 |