

Rittal – The System.

Faster – better – everywhere.



VX 8617.550

Partial Mounting Plates

State: 2026-02-10 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8617.550 - Partial Mounting Plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

Model No.	VX 8617.550
Product description	To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.
Material	Carbon steel, 2.5 mm
Surface finish	Zinc-plated
Supply includes	Assembly components
Suitable for door width	600 mm
Installation options	<p>The installation can be done either standing up as a vertical mounting surface or lying flat as a horizontal floor</p> <p>Attachment is directly on the enclosure section</p> <p>It is attached via the system chassis at any mounting level in the enclosure in the case of an advanced design</p> <p>For multi-level installation of the partial mounting plates one behind the other, they can be made swingable through the hinge attachment for quick access to the levels behind them</p> <p>In VX SE on enclosure section in conjunction with adapter rail VX</p>
Note	Adaptor rail VX is required for installation in VX SE, PC, IW
Dimensions	<p>Width: 500 mm</p> <p>Depth: 775 mm</p>
Suitable for enclosure type	<p>VX</p> <p>VX SE</p> <p>PC</p>

Features

Suitable for	Enclosure type: VX VX SE PC Width: = 600 mm Depth: = 600 mm
Packaging unit	1 pc(s).
Net weight	9.54
Gross weight	9.84
PCF/VE (cradle-to-gate)	37.5 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177919402
ETIM 9	EC000213
ECLASS 8.0	27409216