

# Rittal – The System.

Faster – better – everywhere.



## VX 8617.580

## Partial Mounting Plates

State: 2026-02-09 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.580 - Partial Mounting Plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

## Features

Model No.	VX 8617.580
Product description	To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.
Material	Carbon steel, 2.5 mm
Surface finish	Zinc-plated
Supply includes	Assembly components
Suitable for door width	800 mm
Installation options	<p>The installation can be done either standing up as a vertical mounting surface or lying flat as a horizontal floor</p> <p>Attachment is directly on the enclosure section</p> <p>It is attached via the system chassis at any mounting level in the enclosure in the case of an advanced design</p> <p>For multi-level installation of the partial mounting plates one behind the other, they can be made swingable through the hinge attachment for quick access to the levels behind them</p> <p>In VX SE on the vertical enclosure section in conjunction with adapter rail VX</p>
Note	Adaptor rail VX is required for installation in VX SE, PC, IW
Dimensions	Width: 700 mm Depth: 700 mm
Suitable for enclosure type	VX VX SE PC

# Features

Suitable for	Enclosure type: VX VX SE PC Width: = 800 mm Depth: = 800 mm
Packaging unit	1 pc(s).
Net weight	11.271
Gross weight	11.864
PCF/VE (cradle-to-gate)	45.3 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177919433
ETIM 9	EC000213
ECLASS 8.0	27409216