


Faster – better – everywhere.





VX 8620.050

Base/plinth corner pieces with base/plinth trim panels, front and rear, 100 mm stainless steel

State: 2025-08-28 (Source: rittal.com/ca-en)

POWER DISTRIBUTION X CLIMATE CONTROL X IT INFRASTRUCTURE

RE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8620.050 - Base/plinth corner pieces with base/plinth trim panels, front and rear, 100 mm stainless steel for VX, TS, VX SE

Base/plinth corner pieces with molded self-positioning to the bayed enclosure system, for use with or without trim panels depending on the application. Large openings in the base/plinth corner piece for best access to the screw-fastening point can be covered using bay and corner covers.

Features

Model No.	VX 8620.050
Product description	Base/plinth corner pieces with molded self-positioning to the bayed enclosure system, for use with or without trim panels depending on the application. Large openings in the base/plinth corner piece for best access to the screw-fastening point can be covered using bay and corner covers.
Material	Base/plinth corner piece: Stainless steel 1.4301 (AISI 304) Base/plinth trim panels, front/rear: Stainless steel 1.4301 (AISI 304) Corner and baying covers: Plastic
Surface finish	Trim Panel: Brushed, grain 400
Supply includes	4 x base/plinth corner pieces 4 x corner covers 1 x baying cover 2 x base/plinth trim panels, front/rear, 100mm high Assembly components
Note	Base/plinth trim panels, on the side for closing off a base/plinth unit, for additional stabilization of the bases/plinths to one another, or for interior installation of the bases/plinths The components of the first generation base/plinth system cannot be combined with the components of the second generation base/ plinth system
Dimensions	Height: 100 mm
Suitable for	Width: = 600 mm

Features

Type rating according to UL 50E	Туре 1
	Type 3R
	Туре 4
	Туре 4Х
	Туре 12
Weight/packaging unit	5.08 kg
Packaging unit	2 pc(s).
Net weight	4
Gross weight	4.06
Customs tariff number	94039910
EAN	4028177922297
ETIM 9	EC000721
ECLASS 8.0	27182003

Approvals

Approvals

UL + C-UL - FTTA