

Rittal – The System.

Faster – better – everywhere.



VX 8620.502

Panel, hinged at the top

State: 2025-08-30 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 8620.502 - Panel, hinged at the top for VX

For installing control and display components, in combination with the modular front design and safety bar.

Features

Model No.	VX 8620.502
Product description	To install control and display components, in combination with modular front design and protective bar.
Material	Carbon steel, 2 mm
Surface finish	Textured paint
Color	RAL 7035
Supply includes	Trim Panel Hinges Cam lock with 3 mm double-bit insert Assembly components
Dimensions	Height: 300 mm
Suitable for	Width: 1,200 mm
Protection category IP to IEC 60529	IP 54
Packaging unit	1 pc(s).
Net weight	7.89
Gross weight	8.18
PCF/VE (cradle-to-gate)	31.2 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177922594
ETIM 9	EC002617
ECLASS 8.0	27189260

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK