
### Rittal - The System.

Faster – better – everywhere.





# VX 8660.008

Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 2025-07-22 (Source: rittal.com/ca-en)

ICLOSURES >>> P

OWER DISTRIBUTION

LIMATE CONTROL

T INFRASTRUCTURI

SOFTWARE & SERVICE

# VX 8660.008 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, carbon steel

Base/plinth corner pieces with trim panels for flexible cable entry.





#### **Features**

VX 8660.008
Reliable - very high stability of the base
Flexible – numerous interior expansion options with the VX accessories
Simple – flush finish between the baying points
Base/plinth corner piece: Carbon steel
Base/plinth trim panels, front/rear: Carbon steel
Corner and baying covers: Plastic
RAL 9005
4 x corner covers
Assembly components
4 x base/plinth corner pieces, 100 mm high
2 x base/plinth trim panels, front/rear, 100 mm high
Base/plinth trim panels, on the side for closing off a base/plinth
unit, for additional stabilization of the bases/plinths to one anothe or for interior installation of the bases/plinths
Height: 100 mm

© Rittal 2025 2

## Features

Suitable for	Enclosure type: VX
	VXIT
	VX SE
	TX CableNet
	TS
	TS IT
	TP
	PC
	IW
	CX
	Width: = 1,600 mm
Type rating according to UL 50E	Type 1
	Type 12
Weight/packaging unit	9 kg
Packaging unit	2 pc(s).
Net weight	8.7
Gross weight	9
PCF/VE (cradle-to-gate)	34.3 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177978072
ETIM 9	EC000721
ETIM 8	EC000721
ECLASS 8.0	27182003

## Approvals

Approvals UL + C-UL - FTTA