

Faster – better – everywhere.





VX 8660.040 Base/Plinth Trim Panels, Side

POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 2025-08-23 (Source: rittal.com/ca-en)



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8660.040 - Base/Plinth Trim Panels, Side for base/ plinth system VX, carbon steel

For side blanking of a base/plinth unit and for additional stabilization or the interior installation of baying bases. One 200 mm-high or two 100 mm-high trim panels can optionally be fitted on 200 mm-high base/plinths.



Features

VX 8660.040
Closed
Carbon steel
RAL 9005
Assembly components
Height: 200 mm
Enclosure type: VX VX IT VX SE TX CableNet TS TS IT TP PC IW CX Depth: = 300 mm

Features

Type rating according to UL 50E	Туре 1 Туре 12
Weight/packaging unit	1.25 kg
Packaging unit	2 pc(s).
Suitable for	for base/plinth system VX, carbon steel
Net weight	1.1
Gross weight	1.25
PCF/VE (cradle-to-gate)	4.8 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177978270
ETIM 9	EC000721
ETIM 8	EC000721
ECLASS 8.0	27182003