


# Rittal – The System.

Faster – better – everywhere.



## VX 8660.045

### Base/Plinth Trim Panels, Side

State: 2026-01-22 (Source: [rittal.com/ca-en](https://rittal.com/ca-en))



FRIEDHELM LOH GROUP

# VX 8660.045 - Base/Plinth Trim Panels, Side for base/plinth system VX, carbon steel

For side blanking of a base/plinth unit and for additional stabilization or the interior installation of baying bases. One 200 mm-high or two 100 mm-high trim panels can optionally be fitted on 200 mm-high base/plinths.



## Features

|                 |   |
|-----------------|---|
| Model No.       | VX 8660.045   |
| Version         | Closed  |
| Material        | Carbon steel  |
| Color           | RAL 9005  |
| Supply includes | Assembly components   |
| Dimensions      | Height: 200 mm  |
| Suitable for    | Enclosure type: VX<br>VX IT<br>VX SE<br>TX CableNet<br>TS<br>TS IT<br>TP<br>PC<br>IW<br>CX<br>Depth: = 1,000 mm |

## Features

|                                     |  |
|-------------------------------------|--|
| Type rating according to UL 50E     | Type 1<br>Type 12  |
| Weight/packaging unit               | 5.58 kg  |
| Packaging unit                      | 2 pc(s).   |
| Suitable for                        | for base/plinth system VX, carbon steel  |
| Net weight                          | 5.54   |
| Gross weight                        | 5.912  |
| PCF/VE (cradle-to-gate)             | 21.3 kg CO <sub>2</sub> eq (Cat B)   |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 94039910   |
| EAN                                 | 4028177978331  |
| ETIM 9                              | EC000721   |
| ETIM 8                              | EC000721   |
| ECLASS 8.0                          | 27182003   |

## Approvals

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|