Rittal – The System.

Faster - better - everywhere.





TS 8800.340 Captive nut

State: 2025-12-05 (Source: rittal.com/ca-en)



TS 8800.340 - Captive nut

Used on enclosures and rails with rectangular $12.5 \times 10.5 \text{ mm}$ system punchings. The nuts are inserted from the same side as screw-fastening takes place.



Features

Model No.	TS 8800.340
Product description	The nuts are inserted from the same side as screw-fastening takes place. This allows fastening points at the same height and width across corners. The spring retainer also provides for electrical connection in the system punchings.
Installation options	On the vertical TS, VX SE enclosure section via adapter rail for VX compatibility On the horizontal TS enclosure section On the horizontal VX SE enclosure section, bottom On the horizontal VX SE enclosure section top, in depth On punched rails 23 x 23 mm On mounting chassis 23 x 73 mm On mounting chassis 45 x 88 mm On 23 x 73 mm system chassis On enclosures and rails with rectangular hole profile 12.5 x 10.5 mm
Dimensions	Thread: M6
Thread	M6
Packaging unit	50 pc(s).
Net weight	0.1
Gross weight	0.166
Customs tariff number	73181692

© Rittal 2025

Features

EAN	4028177231849
ETIM 9	EC002358
ECLASS 8.0	23110815

© Rittal 2025 3