


# Rittal – The System.

Faster – better – everywhere.



## TS 8802.105

## Section for cable entry, rear

State: 2026-03-04 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8802.105 - Section for cable entry, rear for TS, TP

Inserted in base opening.

## Features

|                                     |                                                                                                                                                                                                 |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                           | TS 8802.105                                                                                                                                                                                     |
| Product description                 | To seal the cable entry on the base opening.                                                                                                                                                    |
| Benefits                            | Particularly well-suited to cables with identical cross-sections<br>When installing the mounting plate in the rearmost position, the cables may be routed directly without large bending radii. |
| Technical specifications            | Foam rubber cable clamping profile: Cross-section: 30 x 25 mm                                                                                                                                   |
| Applications                        | Mount directly on the base opening/base tray and base plate                                                                                                                                     |
| Material                            | Extruded aluminum section<br>Foam rubber cable clamping profile: PU foam                                                                                                                        |
| Supply includes                     | Plug-in sections, incl. foam rubber clamp strip                                                                                                                                                 |
| Note                                | 2 pc(s). are sufficient for one base opening up to an enclosure width of 800 mm<br>From an enclosure width of 1,000 mm, two base openings are provided. 4 units per enclosure may be fitted     |
| Suitable for                        | Enclosure type: TS: = 1,000 mm<br>Enclosure type: TP                                                                                                                                            |
| Protection category IP to IEC 60529 | IP 55 if correctly installed                                                                                                                                                                    |
| Packaging unit                      | 4 pc(s).                                                                                                                                                                                        |
| Net weight                          | 0.308 kg                                                                                                                                                                                        |
| Customs tariff number               | 76042990                                                                                                                                                                                        |
| ETIM 9                              | EC002624                                                                                                                                                                                        |
| ECLASS 8.0                          | 27189265                                                                                                                                                                                        |
| Product description                 | TS profile for cable entry, rear, for TS, VX SE, TP, for W: 1000 mm                                                                                                                             |