

Rittal – The System.

Faster – better – everywhere.



SV 9320 030 Busbar Connectors

State: 2026-01-01 (Source: rittal.com/ea-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9320.030 - Busbar Connectors

For connecting busbars, no drilling required.

Features

Model No.	SV 9320.030
Product description	For connecting rectangular busbars, no drilling required.
Material	Top part: Carbon steel, zinc-plated, passivated Back plate: E-Cu, silver-plated
Connection type	Baying connection from enclosure to enclosure
Suitable for busbars	20 x 5 - 30 x 10
Packaging unit	3 pc(s).
Net weight	1.881 kg
Gross weight	2.02 kg
Copper weight (kg per piece)	0.35
PCF/VE (cradle-to-gate)	7.9 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	85369010
ETIM 9	EC000713
ECLASS 8.0	27400606
Product description	SV Busbar connector, for E-Cu 20x5-30x10 mm, bayed connection

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK