

# Rittal – The System.

Faster – better – everywhere.



## RX 9360.101 RiLineX end module set

State: 2026-06-10 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# RX 9360.101 - RiLineX end module set for basic module

RiLineX end module set, 3-pole, for the modular RiLineX board. This set is used to produce the left and right board ends, including all-round contact protection. This article is required once for each modular RiLineX board system.



## Features

Model No.	RX 9360.101
Benefits	Scalable system lengths with basic modules Easy mounting Scalable rated currents due to variable busbar cross-sections Tested short circuit resistance up to max. 65 kA Suitable for applications in the alternating current range up to 1,000 V AC and direct current up to 1,500 V DC Contact hazard protection up to IP 2XB, can be upgraded to IP 3X Tested and certified according to IEC and UL Simple expansion and field alignment
Material	Polyamide (PA 6) Fire behavior corresponding to UL 94
Color	RAL 35745
Supply includes	Board end element left Board end element right Assembly components
Suitable for Model No.	9360.110 9360.120 9360.150

# Features

---

Number of poles	3-pole
Dimensions	Width: 105 mm Height: 240 mm Depth: 49.2 mm
Packaging unit	2 pc(s).
Net weight	1 kg
Gross weight	1.151 kg
PCF/VE (cradle-to-gate)	6.65
Customs tariff number	85472000
ETIM 9	EC002270
Product description	RX end module set for RiLineX basic module 3-pole

---

# Approvals

---

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity PCF-declaration

---