

Rittal – The System.

Faster – better – everywhere.



SV 9661.345 E-Cu Busbars

State: 2024-05-17 (Source: rittal.com/ca-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.345 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

Model No.	SV 9661.345
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm
Dimensions	Length: 365 mm
Suitable for	Width: = 400 mm
Cross-section	Flat copper bar width: 5 mm Flat copper bar thickness: 30 mm
Packaging unit	2 pc(s).
Weight/packaging unit	0.99 kg
Copper weight (kg per piece)	0.49
Customs tariff number	74071000
EAN	4028177546875
ETIM 7.0	EC000329
ECLASS 8.0	27400605

Approvals

Approvals	UL + C-UL (listed)
-----------	--------------------

Approvals

Explanations	Declaration of conformity
	Declaration of conformity UK