

# Rittal – The System.

Faster – better – everywhere.



## SV 9670.025

## Baying systems TS 8

State: 2025-12-09 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9670.025 - Baying systems TS 8 Isolator enclosure

TS 8 baying system for the distribution of electrical power with switch disconnecter fuses from Jean Müller or ABB.

## Features

Model No.	SV 9670.025
Material	Carbon steel
Surface finish	Enclosure frame: Dipcoat-primed Door(s), roof, rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Base plates: Zinc-plated
Color	RAL 7035
Supply includes	Enclosure frame with r/h door hinge, left side open Roof Rear panel Base plates, three-piece Lock: 3 mm double-bit 4 eyebolts Locating frame for isolators with fuses (brands ABB SlimLine/Jean Müller SASIL)
Test specification	IEC 61 439-1/-2 IEC 61 641
Protection category IP to IEC 60 529	Up to IP 3X, depending on the panels
Dimensions	Width: 1,000 mm Height: 2,200 mm Depth: 600 mm
Packaging unit	1 pc(s).
Net weight	133.5
Gross weight	144.2
EAN	4028177814554
ETIM 9	EC002525

# Features

---

ECLASS 8.0	27180101
------------	----------

# Approvals

---

Explanations	Declaration of conformity Declaration of conformity UK
--------------	---