


Rittal – The System.

Faster – better – everywhere.



SV 9676.548 Contact maker

State: 2026-06-27 (Source: rittal.com/ca-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9676.548 - Contact maker for connection brackets

To connect connection brackets and connector kits with flat copper bars to Flat-PLS busbar systems, no drilling required.



Features

Model No.	SV 9676.548
Product description	For joining connection brackets to busbar systems.
Material	E-Cu
Supply includes	Assembly components
For Busbar width	80 mm
Rails per conductor	3 4
Note	The screws included with the supply are used to secure the contacts to the busbars Screws for fixing the connecting bracket are not included with the supply The required screw length must be selected according to the busbar width W, i.e., $\text{Length} = W + \text{fastening measurement} + (\text{number of partial conductors} \times 10)$ Number of screws per bracket: With 2 subconductors per conductor: 2 pc(s) and with 3 or 4 subconductors per conductor 4 pc(s).
Suitable for busbar system	Flat-PLS
Mounting dimensions	40 mm
Packaging unit	1 pc(s).

Features

Net weight	1.5 kg
Gross weight	1.625 kg
Copper weight (kg per piece)	0.99
Customs tariff number	74198090
ETIM 9	EC001900
ECLASS 8.0	27400613
Product description	SV Contact maker E-Cu, WH: 80x20 mm, for 3 or 4 strands, (Flat-PLS)

Approvals

Explanations	Declaration of conformity Declaration of conformity UK
--------------	---