

Rittal – The System.

Faster – better – everywhere.



VX 9680.206

Baying-enclosure system VX25

State: 2025-07-18 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



VX 9680.206 - Baying-enclosure system VX25 Isolator enclosure

Baying system for the distribution of electrical power with slimline fuse-switch disconnectors (from ABB or Jean Müller).



Features

| | |
|-----------------|--|
| Model No. | VX 9680.206 |
| Material | Carbon steel, 1.5 mm |
| Surface finish | Enclosure frame: Dipcoat-primed Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Base plates: Zinc-plated |
| Color | RAL 7035 |
| Supply includes | Enclosure frame Door Roof plate Rear panel Base Plates Front Trim Panels Lock: 3 mm double-bit Compartment side panels Locating frame for isolators with fuses (brands ABB SlimLine/Jean Müller SASIL) |

Features

| | |
|------------------------------------|--|
| Protection category IP to EN 60529 | Up to IP 3X, depending on the panels |
| Test specification | IEC 61 439-1/-2 IEC 61 641 |
| Dimensions | Width: 1,200 mm Height: 2,000 mm Depth: 600 mm |
| Packaging unit | 1 pc(s). |
| Net weight | 164 |
| Gross weight | 167.5 |
| EAN | 4028177981355 |
| ETIM 9 | EC000261 |
| ECLASS 8.0 | 27180101 |

Approvals

| | |
|--------------|---------------------------|
| Certificates | Surface finish |
| Explanations | Declaration of conformity |