


Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

SV 9683.468 Compartment Divider

CLIMATE CONTROL

State: 2025-08-30 (Source: rittal.com/ca-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

SV 9683.468 - Compartment Divider for VX

For the horizontal separation of compartments.

Features

Model No.	SV 9683.468
Version	With vent
Product description	For the horizontal separation of compartments. In combination with the side walls, creates a form separation in accordance with Forms 1 to 4. It is fastened to the compartment side wall or to the enclosure section. The integrated cut-outs with pre-punched knock- out options are used for the vertical routing of control lines or cable ducts and for the routing of distribution busbars or connection kits.
Material	Carbon steel, 1.5 mm
Surface finish	Zinc-plated
Supply includes	Assembly components
Mounting tip	For assembling compartments as internal Form separation, compartment side panels are required.
Dimensions	Width: 511 mm Depth: 780 mm
Suitable for	Width: = 600 mm Depth: = 800 mm
Packaging unit	2 pc(s).
Net weight	6.2
Gross weight	7.06
PCF/VE (cradle-to-gate)	25.1 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
EAN	4028177936379
ETIM 9	EC002525

Features

ECLASS 8.0

27400613

Approvals

Approvals

Lloyds Register of Shipping Declaration of conformity UK

Explanations