


# Rittal – The System.

Faster – better – everywhere.



## SV 3515.000

## PLS busbar connectors

State: 15/05/2024 (Source: [rittal.com/com-en](https://rittal.com/com-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3515.000 - PLS busbar connectors

For connecting PLS special busbars, no drilling required.



## Features

Model No.	SV 3515.000
Product description	For connecting the PLS special busbars, no drilling required.
Material	E-Cu
Surface finish	Nickel-plated
To fit busbars	PLS 1600
Connection type	Baying connection from enclosure to enclosure
Packs of	3 pc(s).
Weight/pack	4.014 kg
Copper weight (kg per piece)	1.27
Customs tariff number	85369010
EAN	4028177043534
ETIM 7.0	EC000713
ECLASS 8.0	27400606

## Approvals

# Approvals

Approvals	ABS DNV-GL Lloyds Register of Shipping UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

## Tender text

PLS 1600 busbar connector  
System  
Rittal RiLine60  
Description  
PLS 1600 busbar connector for connecting the  
PLS 1600 special busbar  
Design  
Baying connection from enclosure to enclosure  
Material properties  
E-Cu, nickel-plated  
Screw M10  
Tightening torque  
20 Nm  
Note  
The use of cross members 9340240/230 is compulsory  
for UL 508A applications.