### Rittal – The System.

Faster – better – everywhere.





# AS 4050.451 Stripping machine S22

State: 19/11/2025 (Source: rittal.com/com-en)



## AS 4050.451 - Stripping machine S22

Semi-automated machine for stripping wires of varying cross-section ranges.

#### **Features**

Model No.	AS 4050.451
Design	Touchscreen display
	Integral counter (total quantity)
	Integral counter (daily quantity)
	Linear adjustment of the wire stripping length
Product description	Semi-automated machine for stripping wires of varying cross-
	section ranges.
Benefits	Cross-section is easily set using the rotary knob
	Simple insertion of the wires
	User-friendly operation
Technical specifications	Electrically powered
	Wire stripping range 0.05 - 6 mm² (AWG 30 - 10)
	Insulation stripping length 3 - 20 mm (0.12 - 0.79 in.)
	Draw-off length 3 - 20 mm (0.12 - 0.79 in.)
	Insertion length 22 mm (0.87 in.)
Supply includes	Stripping machine S22
	Special funnel for inserting thin conductors
	Spare blades
Dimensions	Width: 190 mm
	Height: 190 mm
	Depth: 295 mm
Rated operating voltage	100 V - 240 V, 1~, 50 Hz/60 Hz
Apparent power	70 VA
Cycle time	0.5 s
Packs of	1 pc(s).
Net weight	8.5
Gross weight	9.06

© Rittal 2025

#### **Features**

Customs tariff number	84798997
EAN	4028177804852
ETIM 9	EC002778
ETIM 8	EC002778
ECLASS 8.0	36629090

© Rittal 2025 3