Rittal – The System.

Faster – better – everywhere.





AS 4055.480 Hole punch set, metric

State: 09/12/2025 (Source: rittal.com/com-en)



AS 4055.480 - Hole punch set, metric for sheet steel

For punching round cut-outs

Features

Model No.	AS 4055.480
Design	With 3 cutting points
Product description	For punching round cut-outs. The hole punch is operated with a wrench or hydraulic punch.
Supply includes	5 female dies
	5 male dies
	Plastic case
Machinable material	Sheet steel
Maximum machinable material	2 mm
thickness, sheet steel	2 mm
	2 mm
	2 mm
	3 mm
Ø punch	16.2 mm
	20.4 mm
	25.4 mm
	32.5 mm
	40.5 mm
For threads	M16
	M20
	M25
	M32
	M40
Note	When operating with wrenches, tension screws with ball bearings
	should be used.

© Rittal 2025

Features

Suitable for hydraulic bolt order	4055.661
number	4055.661
	4055.661
	4055.661
	4055.663
Packs of	1 pc(s).
Net weight	0.95
Gross weight	0.98
Customs tariff number	82073010
EAN	4028177808607
ETIM 9	EC002121
ETIM 8	EC002121
ECLASS 8.0	21049047

© Rittal 2025 3