

Faster – better – everywhere.





IW 6900.700 Industrial Workstations

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 07/09/2025 (Source: rittal.com/com-en)



IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

IW 6900.700 - Industrial Workstations

Lower enclosure section, based on VX SE for Industrial Workstations.



Features

Model No.	IW 6900.700
Design	Designer door, rear panel screw-fastened from the inside
Material	Enclosure, designer door, rear panel: Sheet steel
Surface finish	Enclosure: Dipcoat-primed, powder-coated on the outside, textured paint
Colour	Decorative trim panels: RAL 7015
Supply includes	Enclosure sealed at the sides Three-piece gland plates Levelling feet Designer door, rear panel screw-fastened from the inside
Dimensions	Width: 600 mm Height: 900 mm Depth: 600 mm
IP protection category to IEC 60 529	IP 55
Packs of	1 pc(s).
Net weight	44.6
Gross weight	46.6

Features

PCF per pack (cradle-to-gate)	177.5 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
EAN	4028177968509
ETIM 9	EC002502
ETIM 8	EC002502
ECLASS 8.0	27180501

Approvals

Certificates	Surface finish
Explanations	Declaration of conformity
	Declaration of conformity UK