Rittal – The System.

Faster – better – everywhere.



IW 6900.700
Industrial Workstations

State: 05/11/2026 (Source: www.rittal.com/com-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

IW 6900.700 - Industrial Workstations

Lower enclosure section, based on VX SE for Industrial Workstations.





Features

Model No.	IW 6900.700
Design	Designer door, rear panel screw-fastened from the inside
Material	Enclosure, designer door, rear panel: Sheet steel
Surface finish	Enclosure: Dipcoat-primed, powder-coated on the outside, textured paint
Colour	Decorative trim panels: RAL 7015
Supply includes	Enclosure sealed at the sides Three-piece gland plates Levelling feet Designer door, rear panel screw-fastened from the inside
Dimensions	Width: 600 mm Height: 900 mm Depth: 600 mm
IP protection category to IEC 60 529	IP 55
Packs of	1 pc(s).
Net weight	44.6 kg
Gross weight	46.6 kg

© Rittal 2026

Features

PCF per pack (cradle-to-gate)	177.5 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94032080
ETIM 9	EC002502
ETIM 8	EC002502
ECLASS 8.0	27180501
Product description	IW Industrial Workstation, enclosure width x height x depth: 600x900x600 mm, with designer door at the front, rear panel

Approvals

Certificates	Surface finish
Explanations	Declaration of conformity