### Rittal – The System.

Faster – better – everywhere.





## VX 8619.400 Cable clamp rail

State: 23/08/2025 (Source: rittal.com/com-en)



# VX 8619.400 - Cable clamp rail Right-angle section for VX, TS, VX SE, PC, base/plinth system VX

For strain relief with cable entry. Depth-variable mounting on a 25 mm pitch pattern on the horizontal enclosure section or in the base/plinth.

#### **Features**

| Model No.                               | VX 8619.400  |
|---|--|
| Product description                     | For strain relief with cable entry. Depth-variable mounting on a 25 mm pitch pattern on the horizontal enclosure section or in the base, plinth. |
| Material                                | Steel  |
| Surface finish                          | Zinc-plated  |
| Supply includes                         | Assembly parts   |
| VX installation options                 | In enclosure width 400 mm, in the base   |
| AX installation options                 | In enclosure width 400 mm, in conjunction with rail for interior installation AX and base configuration rail for AX                              |
| AX stainless steel installation options | In enclosure width 400 mm, in conjunction with rail for interior installation AX and base configuration rail for AX                              |
| VX base/plinth installation options     | In base/plinth width/depth 400 mm, in conjunction with holder/<br>spacer   |
| To fit                                  | Base/plinth system VX  |
| Dimensions                              | Length: 354 mm   |
| To fit                                  | Enclosure type: VX<br>AX<br>Width: = 400 mm  |
| Packs of                                | 2 pc(s).   |
| Net weight                              | 2  |
| Gross weight                            | 2.34   |
| Customs tariff number                   | 73269098   |

© Rittal 2025

2

### **Features**

| EAN        | 4028177921924 |
|------------|---------------|
| ETIM 9     | EC000322      |
| ECLASS 8.0 | 27400604      |

© Rittal 2025 3