

Rittal – The System.

Faster – better – everywhere.



SV 9340.140 Base tray infill

State: 25/06/2026 (Source: rittal.com/com-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9340.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.



Features

| | |
|-----------------------|---|
| Model No. | SV 9340.140 |
| Product description | For rear contact hazard protection when connecting the busbars from enclosure to enclosure. |
| Material | Thermally modified hard PVC. Fire protection corresponding to UL 94-V0 |
| Colour | RAL 7035 |
| Supply includes | Assembly parts |
| Number of poles | 3-pole |
| To fit busbar system | Flat copper busbars, 3-pole |
| To fit Model No. | 9340.000 9340.050 |
| Connection type | Baying connection from enclosure to enclosure |
| Dimensions | Length: 100 mm |
| Packs of | 2 pc(s). |
| Net weight | 0.23 kg |
| Gross weight | 0.241 kg |
| Customs tariff number | 83024200 |
| ETIM 9 | EC002498 |

Features

ECLASS 8.0

27379201

Product description

SV Base tray infill, L: 100 mm

Approvals

Approvals

UL + C-UL (listed)

Tender text

Base tray infill

Base tray infill for 60 mm flat bar system for rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Technical specifications

Length: 100 mm

Width: 210 mm

Height: 19.5 mm

System:

Rittal RiLine60