

Rittal – The System.

Faster – better – everywhere.



SV 9676.548 Contact piece

State: 07/05/2026 (Source: rittal.com/com-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9676.548 - Contact piece for connection brackets

For connecting connection brackets and connector kits of flat copper bars to Flat-PLS busbar systems, no drilling required.



Features

| | |
|----------------------|--|
| Model No. | SV 9676.548 |
| Product description | For joining connection brackets to busbar systems. |
| Material | E-Cu |
| Supply includes | Assembly parts |
| For Busbar width | 80 mm |
| Bars per conductor | 3 4 |
| Note | <p>The screws included with the supply are used to secure the contact pieces to the busbars</p> <p>Screws for attaching the connection brackets are not included with the supply</p> <p>The required screw length must be selected in line with the busbar width W, i.e. length = W + fastening measurement + (number of sub-conductors x 10)</p> <p>No. of screws per bracket: With 2 sub-conductors per conductor: 2 pc(s). and with 3 or 4 sub-conductors per conductor: 4 pc(s).</p> |
| To fit busbar system | Flat-PLS |
| Mounting dimensions | 40 mm |
| Packs of | 1 pc(s). |
| Net weight | 1.5 kg |

Features

| | |
|------------------------------|---|
| Gross weight | 1.625 kg |
| Copper weight (kg per piece) | 0.99 |
| Customs tariff number | 74198090 |
| ETIM 9 | EC001900 |
| ECLASS 8.0 | 27400613 |
| Product description | SV Contact maker E-Cu, WH: 80x20 mm, for 3 or 4 strands, (Flat-PLS) |

Approvals

| | |
|--------------|---|
| Explanations | Declaration of conformity Declaration of conformity UK |
|--------------|---|