Rittal – The System.

Faster – better – everywhere.





CS 9765.082 Concrete base/plinth

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 01/08/2025 (Source: rittal.com/com-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

CS 9765.082 - Concrete base/plinth for outdoor

enclosures

Concrete base/plinth for CS Toptec and basic enclosures. The base/plinth is made from pre-cast concrete sections which are easily fitted in situ.

Features

Model No.	CS 9765.082
Product description	The base/plinth is made from pre-cast concrete sections which are easily fitted in situ. Front/rear base/plinth plate screw-fastened from the inside, removable for servicing access.
Material	Light-weight concrete
Surface finish	Untreated
Supply includes	1 base plate 2 side parts 2 divided base/plinth plates Assembly parts and fastening screws for mounting the enclosure.
Excavation depth	700 mm
Note	Extended delivery times.
Note on Model No.	Extended delivery times.
Dimensions	Height: 965 mm
To fit	Enclosure type: CS basic enclosures Width: 600 mm Depth: 500 mm
Suitable for depth	500 mm
Packs of	1 pc(s).
Net weight	200
Gross weight	201
Customs tariff number	68109100
EAN	4028177216761

Features

ETIM 9	EC000721
ECLASS 8.0	27182003

Tender text

Concrete base/plinth for outdoor enclosures

Base made from ready-mixed concrete slabs, prepared for outdoor enclosures with basic W x D dimensions of 600 x 500 mm. The excavation depth for a 1000 mm high base is approx. 700 mm.

Material: Light concrete

For enclosures: W x D: 600 x 500 mm