
## Rittal – The System.

Faster – better – everywhere.





# VX 1182.096 VX IT Open

State: 21/08/2025 (Source: rittal.com/gr-en)



## VX 1182.096 - VX IT Open

VX IT standard version, without front and rear door. Usable either as an open 482.6 mm (19") frame in a secure environment or as the basis for fast configurations in the Rittal RiPanel configuration system using existing accessories (such as doors and side panels) from the Rittal modular range.







#### **Features**

Model No.	VX 1182.096	
Design	VX enclosure frame with roof plate without front and rear door Vented without side panels	
Surface finish	Enclosure frame: Dipcoat-primed Interior installation: Spray-finished	
General colour	RAL 7035	
Colour	Enclosure frame and roof: RAL 7035 Interior installation: RAL 9005	

© Rittal 2025

## Features

Enclosure frame Mounting angles, 482.6 mm (19") Spacers, height 50 mm, to raise a cover plate above the fan cut-out in the roof plate, for passive cooling (supplied loose). Not required for variants without a cut-out.  12 x 482.6 mm (19") fastener, 1 U, conductive (supplied loose) 25 multi-tooth screws, conductive (supplied loose) IPPC pallet Roof plate, multi-piece, with side cable entry in the depth, double-sided, prepared for fan mounting plate
Width: 800 mm Height: 2,000 mm Depth: 800 mm
42 U
150 mm / 130 mm
520 mm
on the cross-member, screw-fastened at the top and bottom
Standard
multi-piece, with side cable entry in the depth, double-sided, prepared for fan mounting plate
482.6 mm (19") mounting angles, standard in the VX IT
Open
front and rear
8,000 N
8,000 N
Sheet steel
Sheet steel 1 pc(s).

© Rittal 2025 3

## Features

EAN	4028177973305
ETIM 9	EC002499
ETIM 8	EC002499
ECLASS 8.0	27180207

# **Approvals**

Explanations	Manufacturer's declaration
	Declaration of conformity

© Rittal 2025