Rittal – The System.

Faster – better – everywhere.







Stat

ENCLOSURES

POWER DISTRIBUTION SCLIMATE CONTROL


IT INFRASTRUCTURE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

SV 3583.000 - Busbars E-Cu

Length: 2400 mm/bar.



Features

Model No.	SV 3583.000
Material	E-Cu F30
Length	2,400 mm
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	25 mm x 5 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	15.9
Gross weight	16.16
Copper weight (kg per piece)	2.67
Customs tariff number	74071000
EAN	4028177044807
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

Approvals

 Approvals
 UL + C-UL (listed)

 Explanations
 Declaration of conformity

 Declaration of conformity UK

Tender text

Busbar made from E-Cu Busbars E-Cu to DIN 13601 Technical specifications Length: 2400 mm Dimension: 25 x 5mm Cross section: 124 qmm Weight: 1.11 Kg/m Electrical parameters IEC: to 384 A UL 508: 290 A System: Rittal RiLine60