

Rittal – The System.

Faster – better – everywhere.



AS 4050.451

Stripping machine S22

State: 08/05/2026 (Source: rittal.com/gr-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4050.451 - Stripping machine S22

Semi-automated machine for stripping wires of varying cross-section ranges.

Features

| | |
|--------------------------|--|
| Model No. | AS 4050.451 |
| Design | Touchscreen display Integral counter (total quantity) Integral counter (daily quantity) Linear adjustment of the wire stripping length |
| Product description | Semi-automated machine for stripping wires of varying cross-section ranges. |
| Benefits | Cross-section is easily set using the rotary knob Simple insertion of the wires User-friendly operation |
| Technical specifications | Electrically powered Wire stripping range 0.05 - 6 mm ² (AWG 30 - 10) Insulation stripping length 3 - 20 mm (0.12 - 0.79 in.) Draw-off length 3 - 20 mm (0.12 - 0.79 in.) Insertion length 22 mm (0.87 in.) |
| Supply includes | Stripping machine S22 Special funnel for inserting thin conductors Spare blades |
| Dimensions | Width: 190 mm Height: 190 mm Depth: 295 mm |
| Rated operating voltage | 100 V - 240 V, 1~, 50 Hz/60 Hz |
| Apparent power | 70 VA |
| Cycle time | 0.5 s |
| Packs of | 1 pc(s). |
| Net weight | 8.5 kg |
| Gross weight | 9.06 kg |

Features

| | |
|-----------------------|---|
| Customs tariff number | 84798997 |
| ETIM 9 | EC002778 |
| ETIM 8 | EC002778 |
| ECLASS 8.0 | 36629090 |
| Product description | Stripping machine S 22, 0,05-6mm ² |
