Rittal – The System.

Faster – better – everywhere.





ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

T INFRASTRUCTURE

SOFTWARE & SERVICES

AS 4051.050 - Wire Cart

The Wire Cart is designed to accommodate up to 8 wire rails from the Rittal Wire Terminal.



Features

| Model No. | AS 4051.050 |
|--------------------------|--|
| Design | Including tool holder on the left and right |
| | Option of adapting a tablet or monitor to digitalise the wire |
| | information |
| | Integral support system for using other wires or materials |
| Product description | The Wire Cart accommodates up to 8 wire rails from the Rittal Wire |
| | Terminal. In this way, wires can be processed directly at the |
| | enclosure wiring workstation for each individual project. |
| Benefits | For flexible use in the workshop thanks to rubberised wheels |
| | Project-specific order picking for downstream processes |
| | Supports the downstream wiring process |
| | Fast, efficient processing of bayed wires |
| | Optimise your manual wiring workstations |
| Technical specifications | Max. 8 wire rail magazines |
| | Max. admissible total weight 100 kg |
| | Max. admissible load on universal screen support 3 kg |
| To fit Model No. | 4051.024 |
| | 4051.036 |
| Dimensions | Width: 640 mm |
| | Height: 1,500 mm |
| | Depth: 700 mm |
| Packs of | 1 pc(s). |
| | |

© Rittal 2025

2

Features

| Net weight | 44.5 |
|-----------------------|---------------|
| Gross weight | 54.5 |
| Customs tariff number | 84661038 |
| EAN | 4028177951037 |

© Rittal 2025 3