

# Rittal – The System.

Faster – better – everywhere.



## SZ 4944.000

## C rails 30/15

State: 23/05/2026 (Source: [rittal.com/gr-en](http://rittal.com/gr-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 4944.000 - C rails 30/15 to EN 60 715 for VX, TS, VX SE

For direct external mounting on the horizontal enclosure section or vertical enclosure section with additional assembly components.



## Features

|                                     |   |
|-------------------------------------|---|
| Model No.                           | SZ 4944.000   |
| Material                            | Sheet steel   |
| Surface finish                      | Zinc-plated   |
| Length                              | 555 mm  |
| Installation options                | <p>On the inner mounting level of the VX enclosure section</p> <p>On the vertical TS, VX SE enclosure section via snap-on nuts TS 8800.808 or adaptor rails for VX compatibility</p> <p>On the horizontal VX SE enclosure section in the width, top and bottom</p> <p>On the horizontal VX SE enclosure section in the depth at the bottom (without mounting plate) and at the top via snap-on nuts 8800.808.</p> <p>On the horizontal TS enclosure section</p> <p>In the width or depth of the 3-part AX. Depending on the installation situation, the bar will need to be shortened to the required size.</p> |
| VX base/plinth installation options | In base/plinth width 600 mm on the base/plinth trim panels, in conjunction with holder/spacer   |
| AX base/plinth installation options | In base/plinth width 600 mm, in conjunction with metal multi-tooth screws   |

# Features

---

|                               |  |
|-------------------------------|--|
| To fit                        | Enclosure type: VX<br>TS<br>AX wall-mounted enclosure, 3-part<br>Width/depth: 600 mm                           |
| To fit                        | Base/plinth system AX<br>Base/plinth system VX   |
| Packs of                      | 6 pc(s).   |
| Net weight                    | 2.118 kg   |
| Gross weight                  | 2.4 kg   |
| PCF per pack (cradle-to-gate) | 11.12 kg CO2 eq (Cat B)  |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number         | 73269098   |
| ETIM 9                        | EC000386   |
| ETIM 8                        | EC000386   |
| ECLASS 8.0                    | 27400602   |
| Product description           | SZ C rail 30/15 to EN 60 715, for TS, SE, for W/D: 600 mm, L: 555 mm   |

---

# Approvals

---

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|

---