
### Rittal – The System.

Faster – better – everywhere.





# VX 9680.808 Bayed enclosure system VX25

State: 31/10/2025 (Source: rittal.com/gr-en)



# VX 9680.808 - Bayed enclosure system VX25 Modular enclosure

Baying systems VX, for installation with partial doors and internal separation in a modular design.

#### **Features**

Model No.	VX 9680.808	
Material	Sheet steel, 1.5 mm	
Surface finish	Enclosure frame: Dipcoat-primed Rear panel: Dipcoat-primed, powder-coated on the outside, textured paint Gland plates: Zinc-plated	
Colour	RAL 7035	
Supply includes	Enclosure frame Rear panel Gland plates	
Protection category to IEC 60 529	Up to IP 54, depending on the panels	
Test specification	IEC 61 439-1/-2 IEC 61 641	
Dimensions	Width: 800 mm Height: 2,000 mm Depth: 800 mm	
Packs of	1 pc(s).	
Net weight	49.54	
Gross weight	63.6	
PCF per pack (cradle-to-gate)	158.2 kg CO2 eq (Cat B)	
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared	
EAN	4028177929555	
ETIM 9	EC000261	

© Rittal 2025

#### **Features**

ECLASS 8.0	27180101

## **Approvals**

Certificates	Surface finish	
Explanations	Declaration of conformity UK	

© Rittal 2025 3