Rittal – The System.

Faster – better – everywhere.






SZ 2567.200 Plastic gland plate, modular

State: 29.10.2025. (Source: rittal.com/hr-hr)



SZ 2567.200 - Plastic gland plate, modular with metric knockouts, for AX

Simply break through the plastic on the knockouts for cable glands. Additional rectangular cutouts and reinforcement frame allow the cable gland to be installed directly (modular).







Features

Model No.	SZ 2567.200	
Product description	Simply break through the plastic on the knockouts for cable glands Additional rectangular cut-outs and reinforcement frame allow the cable gland to be installed directly (modular).	
Material	Plastic to UL 94-V0	
Colour	RAL 7035	
Number of rectangular cutouts information	1 rectangular cut-out can hold 10 small seal inserts	
Number of rectangular cutouts	6	
Note	The allocation of gland plate sizes is indicated on the relevant enclosures	

© Rittal 2025 2

Features

S x M16 5 x M20 4 x M25 3 x M32 1 x M40 1 x M50 Dimensions Width: 436 mm Depth: 221 mm To fit Enclosure type: AX Gland plate Size: 7 Operating temperature range -40 °C80 °C Protection category to IEC 60 529 IP 66 if installed correctly Type rating to UL 50E Type 1 Type 12 Number knockouts 4 5 5 4 3 3 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097 EAN 4028177938458	No. of metric knockouts	4 x M12
4 x M25 3 x M32 1 x M40 1 x M50		
3 x M32		
1 x M40 1 x M50 Dimensions Width: 436 mm Depth: 221 mm To fit Enclosure type: AX Gland plate Size: 7 Operating temperature range -40 °C80 °C Protection category to IEC 60 529 IP 66 if installed correctly Type rating to UL 50E Type 1 Type 12 Number knockouts 4 5 5 4 3 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
1 x M50 Dimensions Width: 436 mm Depth: 221 mm To fit Enclosure type: AX Gland plate Size: 7 Operating temperature range -40 °C80 °C Protection category to IEC 60 529 IP 66 if installed correctly Type rating to UL 50E Type 1 Type 12 Number knockouts 4 5 5 5 4 3 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 M50 M50 M50 M50 M50 M50 M50 M50 M5		
Dimensions Width: 436 mm Depth: 221 mm		
Depth: 221 mm		1 x M50
To fit	Dimensions	Width: 436 mm
Size: 7 Operating temperature range		Depth: 221 mm
Operating temperature range -40 °C80 °C Protection category to IEC 60 529 IP 66 if installed correctly Type rating to UL 50E Type 1	To fit	Enclosure type: AX
Protection category to IEC 60 529	Gland plate	Size: 7
Type rating to UL 50E Type 12 Number knockouts 4 5 5 4 3 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number Type 1 Type 12 A 4 5 5 5 4 4 3 3 1 1 1 Customs tariff number	Operating temperature range	-40 °C80 °C
Type 12 Number knockouts 4 5 5 4 3 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097	Protection category to IEC 60 529	IP 66 if installed correctly
Number knockouts 4 5 5 5 4 4 3 1 1 1 Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097	Type rating to UL 50E	Type 1
S S S S S S S S S S		Type 12
5	Number knockouts	4
4 3 1 1 1 1 1 1 1 1 1		5
3 1 1 1 1		5
1		4
1 Metric diameter M12 M16 M20 M25 M32 M40 M50 M50		3
Metric diameter M12 M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		1
M16 M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		1
M20 M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097	Metric diameter	
M25 M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
M32 M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
M40 M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
M50 Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
Packs of 1 pc(s). Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		
Net weight 0.58 Gross weight 0.601 Customs tariff number 39269097		M50
Gross weight 0.601 Customs tariff number 39269097	Packs of	1 pc(s).
Customs tariff number 39269097	Net weight	0.58
	Gross weight	0.601
EAN 4028177938458	Customs tariff number	39269097
	EAN	4028177938458

© Rittal 2025 3

Features

ETIM 9	EC000211	
ETIM 8	EC000211	
ECLASS 8.0	27142421	

Approvals

Approvals UL + C-UL - FTTA

© Rittal 2025