

# Rittal – The System.

Faster – better – everywhere.



## SK 3108.100

### Enclosure internal fan

State: 22.05.2024. (Source: [rittal.com/hr-hr](https://www.rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3108.100 - Enclosure internal fan

To prevent hot-spots inside the enclosure and support the air routing of active enclosure climate control components.

## Features

|                         |  |
|-------------------------|--|
| Model No.               | SK 3108.100  |
| Product description     | To prevent hot-spots and support the air routing of active enclosure climate control components. Adjustable in two axes. Attached to the frame section. Several fans may be cascaded using the quick-release clamping strip. |
| Supply includes         | Complete unit with axial fan ready for connection<br>Snap-on pivot device<br>Assembly parts  |
| Rated operating voltage | 230 V, 1~, 50 Hz/60 Hz   |
| Power consumption Pel   | At 50 Hz: 19 W<br>At 60 Hz: 18 W   |
| Rated current max.      | At 50 Hz: 0.12 A<br>At 60 Hz: 0.11 A   |
| Weight/pack             | 1,14 kg  |
| Packs of                | 1 pc(s).   |
| Customs tariff number   | 84145915   |
| EAN                     | 4028177220485  |
| ETIM 7.0                | EC000320   |
| ECLASS 8.0              | 27180716   |

## Approvals

|              |                           |
|--------------|---------------------------|
| Explanations | Declaration of conformity |
|--------------|---------------------------|