## Rittal - The System.

Faster – better – everywhere.





# SK 3235.460 EC speed control

State: 19.07.2025. (Source: rittal.com/hr-hr)



## SK 3235.460 - EC speed control Control unit for EC fan

Temperature-dependent speed control for EC fan-and-filter units to reduce noise and save energy.

#### **Features**

Model No.	SK 3235.460
Product description	Temperature-dependent speed control for EC fans to reduce noise and save energy. The function of the fan can also be monitored.
Function principle	Activation and monitoring of up to 4 EC filter fans
	For mounting on a 35 mm support rail EN 50 022
	External temperature sensor to record the actual temperature
	Status LED to display the operating status
	Alarm relay for reporting overtemperature, fan defect, cable break
	and sensor failure
Supply includes	Speed control
	NTC sensor, length 1.80 m
Packs of	1 pc(s).
Speed	100 %
To fit Model No.	3240.900
	3241.900
	3243.900
	3244.900
	3245.900
	3245.910
	3245.908
	3245.918
	3245.800
	3245.810
Setting range	5 °C55 °C
Rated operating voltage	100 V – 250 V, 50 Hz/60 Hz
Net weight	0.46
Gross weight	0.505

© Rittal 2025

### **Features**

Customs tariff number	90328900	
ETIM 9	EC000256	
ECLASS 8.0	27142320	

## **Approvals**

Approvals	C-UR UR
Certificates	EAC
Explanations	Declaration of conformity

© Rittal 2025 3