

# Rittal – The System.

Faster – better – everywhere.



## SK 3235.460 EC speed control

State: 14.04.2026. (Source: [rittal.com/hr-hr](http://rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3235.460 - EC speed control Control unit for EC fan

Temperature-dependent speed control for EC fan-and-filter units to reduce noise and save energy.

## Features

|                         |  |
|-------------------------|--|
| Model No.               | SK 3235.460  |
| Product description     | Temperature-dependent speed control for EC fans to reduce noise and save energy. The function of the fan can also be monitored.  |
| Function principle      | Activation and monitoring of up to 4 EC filter fans<br>For mounting on a 35 mm support rail EN 50 022<br>External temperature sensor to record the actual temperature<br>Status LED to display the operating status<br>Alarm relay for reporting overtemperature, fan defect, cable break and sensor failure |
| Supply includes         | Speed control<br>NTC sensor, length 1.80 m   |
| Packs of                | 1 pc(s).   |
| Speed                   | 100 %  |
| To fit Model No.        | 3240.900<br>3241.900<br>3243.900<br>3244.900<br>3245.900<br>3245.910<br>3245.908<br>3245.918<br>3245.800<br>3245.810   |
| Setting range           | 5 °C...55 °C   |
| Rated operating voltage | 100 V – 250 V, 50 Hz/60 Hz   |
| Net weight              | 0,46 kg  |
| Gross weight            | 0,505 kg   |

# Features

---

|                       |  |
|-----------------------|--|
| Customs tariff number | 90328900   |
| ETIM 9                | EC000256   |
| ECLASS 8.0            | 27142320   |
| Product description   | SK speed control EC, unit for Blue e+ fan-and-filter units, 100-250 V, 50 Hz/60 Hz |

---

# Approvals

---

|              |                           |
|--------------|---------------------------|
| Approvals    | C-UR<br>UR                |
| Explanations | Declaration of conformity |

---