

# Rittal – The System.

Faster – better – everywhere.



## AS 4051.050 Wire Cart

State: 05.07.2026. (Source: [rittal.com/hr-hr](http://rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4051.050 - Wire Cart

The Wire Cart is designed to accommodate up to 8 wire rails from the Rittal Wire Terminal.



## Features

Model No.	AS 4051.050
Design	Including tool holder on the left and right Option of adapting a tablet or monitor to digitalise the wire information Integral support system for using other wires or materials
Product description	The Wire Cart accommodates up to 8 wire rails from the Rittal Wire Terminal. In this way, wires can be processed directly at the enclosure wiring workstation for each individual project.
Benefits	For flexible use in the workshop thanks to rubberised wheels Project-specific order picking for downstream processes Supports the downstream wiring process Fast, efficient processing of bayed wires Optimise your manual wiring workstations
Technical specifications	Max. 8 wire rail magazines Max. admissible total weight 100 kg Max. admissible load on universal screen support 3 kg
To fit Model No.	4051.024 4051.036
Dimensions	Width: 640 mm Height: 1,500 mm Depth: 700 mm
Packs of	1 pc(s).

# Features

---

Net weight	44,5 kg
Gross weight	54 kg
Customs tariff number	84661038
Product description	AS Wire rail trolley, The AS Wire rail trolley is used for taking up up to 8 Wire rails from, our Wire Terminal. It is mounted on rollers, which assures further, processing in the most optimal way of the ready-made wires. So the, workmen in the manual pro

---