

**Rittal – The System.**

Faster – better – everywhere.



# AS 4055.180

## Splitter hole punch set, metric

State: 14.05.2026. (Source: [rittal.com/hr-hr](http://rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AS 4055.180 - Splitter hole punch set, metric for stainless steel, round, with triple splitting

For punching round cut-outs

## Features

|  |  |
|--|--|
| Model No.  | AS 4055.180  |
| Design   | With triple splitting  |
| Product description  | For punching round cut-outs. The hole punch is operated with a wrench or hydraulic punch.  |
| Supply includes  | 5 female dies<br>5 male dies<br>Plastic case   |
| Machinable material  | Stainless steel  |
| For threads  | M16<br>M20<br>M25<br>M32<br>M40  |
| Note   | When operating with wrenches, tension screws with ball bearings should be used.  |
| Max. machinable material thickness, stainless steel / diameter of hole punch / to fit hydraulic screw Model No. / to fit tension screw Model No. | 2 mm / 16.2 mm / 4,055,665 / 4,055.632<br>2 mm / 20.4 mm / 4,055,665 / 4,055.632<br>2 mm / 25.4 mm / 4,055,665 / 4,055.632<br>2.5 mm / 32.5 mm / 4,055,663 / 4,055.633<br>2.5 mm / 40.5 mm / 4,055,663 / 4,055.634 |
| Packs of   | 1 pc(s).   |
| Net weight   | 0,849 kg   |
| Gross weight   | 1,098 kg   |
| Customs tariff number  | 82073010   |
| ETIM 9   | EC002121   |

# Features

---

|                     |   |
|---------------------|---|
| ETIM 8              | EC002121  |
| ECLASS 8.0          | 21049047  |
| Product description | Splitter hole punch set, metric for stainless steel, round, with triple splitting |

---