### Rittal – The System.

Faster – better – everywhere.



......

6.6

0

-

0

0.00

0

0

0

G

3

G

0

0

0

A

# TS 4694.000 Support strip

State: 10.09.2025. (Source: rittal.com/hr-hr)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

## TS 4694.000 - Support strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



#### Features

Model No.	TS 4694.000
Product description	For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
Technical specifications	4.5 mm diameter hole on a 25 mm pitch pattern
Material	Sheet steel
Surface finish	Zinc-plated
Supply includes	Assembly parts
Length	340 mm
VX installation options	In enclosure width/depth 400 mm, on the outer mounting level
VX SE installation options	In enclosure width/depth 400 mm, on the outer mounting level
AX installation options	In door width 400 mm, with cam lock
TS installation options	In enclosure width/depth 400 mm, on the outer mounting level
TP installation options	In TP pedestal and one-piece console pedestal, in enclosure depth 400 mm, in conjunction with rail for interior installation for TP, compact enclosure HD
VX base/plinth installation options	In base/plinth width/depth 400 mm on the base/plinth trim panels in conjunction with base/plinth installation bracket

#### Features

To fit	Enclosure type: VX
	TS
	VX SE
	TP
	AX
	To fit width/depth: 400 mm
To fit	Base/plinth system VX
Packs of	20 pc(s).
Net weight	3.2
Gross weight	3.52
PCF per pack (cradle-to-gate)	13.5 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	73269098
EAN	4028177108110
E-Number Sweden	E3465250
ETIM 9	EC002620
ETIM 8	EC002620
ECLASS 8.0	27189261