


# Rittal – The System.

Faster – better – everywhere.



## VX 8617.800

## Support rail 48 x 26 mm

State: 08.07.2026. (Source: [rittal.com/hr-hr](http://rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 8617.800 - Support rail 48 x 26 mm for VX, VX SE, PC, IW, AX

For heavy installed equipment such as transformers. T-head screw and slots in the support rail accommodate all mounting dimensions.



## Features

|                            |                                                                                                                              |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Model No.                  | VX 8617.800                                                                                                                  |
| Product description        |                                                                                                                              |
| Material                   | Sheet steel                                                                                                                  |
| Surface finish             | Zinc-plated                                                                                                                  |
| Supply includes            | Assembly parts                                                                                                               |
| VX installation options    | In enclosure width 600 mm, on the inner mounting level and in the base                                                       |
| VX SE installation options | In enclosure width 600 mm on the inner mounting level, in conjunction with adaptor rail for VX compatibility and in the base |
| AX installation options    | In enclosure width 600 mm, in conjunction with rail for interior installation AX and base configuration rail for AX          |
| PC installation options    | In enclosure width 600 mm on the inner mounting level, in conjunction with adaptor rail for VX compatibility and in the base |
| WI installation options    | In enclosure width 600 mm on the inner mounting level, in conjunction with adaptor rail for VX compatibility and in the base |

# Features

---

|                               |                                                                                                         |
|-------------------------------|---------------------------------------------------------------------------------------------------------|
| To fit                        | Enclosure type: VX<br>VX SE<br>PC<br>IW<br>AX<br>CX one-piece console<br>CX pedestal<br>Width: = 600 mm |
| Packs of                      | 2 pc(s).                                                                                                |
| Net weight                    | 2,816 kg                                                                                                |
| Gross weight                  | 3,166 kg                                                                                                |
| PCF per pack (cradle-to-gate) | 12.39                                                                                                   |
| Customs tariff number         | 73269098                                                                                                |
| ETIM 9                        | EC001285                                                                                                |
| ECLASS 8.0                    | 27189261                                                                                                |
| Product description           | VX Support rail 48 x 26 mm, for W: 600 mm                                                               |

---

# Approvals

---

|              |                 |
|--------------|-----------------|
| Explanations | PCF-declaration |
|--------------|-----------------|