

**Rittal – The System.**

Faster – better – everywhere.



**SV 9345.704**

**Circuit-breaker component adaptor**

State: 04.04.2026. (Source: [rittal.com/hr-hr](http://rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9345.704 - Circuit-breaker component adaptor 4-pole

## Features

|   |   |
|---|---|
| Model No.                                     | SV 9345.704   |
| Material                                      | Polyamide<br>Fire protection corresponding to UL 94-V0  |
| Colour  | RAL 7035  |
| Supply includes                               | Copper spacer roll<br>Connection screws<br>Contact plates   |
| Rated current max.                            | 500 A   |
| Rated operating voltage                       | 690 V, 4~   |
| Cable outlet                                  | Bottom  |
| For bar systems with centre-to-centre spacing | 60 mm   |
| Note  | Cable outlet: Switch outlet or as outgoing cable from the switchgear<br>The technical data may vary for UL applications |
| Number of poles                               | 4-pole  |
| Dimensions                                    | Width: 185 mm<br>Height: 300 mm   |
| To fit busbars                                | Height: 5, 10 mm  |
| To fit manufacturer (model)                   | ABB (Tmax T5)   |
| Packs of                                      | 1 pc(s).  |
| Net weight                                    | 3,98 kg   |
| Gross weight                                  | 4,027 kg  |
| Copper weight (kg per piece)                  | 2,765   |
| Customs tariff number                         | 85369095  |
| ETIM 9  | EC001531  |

# Features

---

|                     |  |
|---------------------|--|
| ECLASS 8.0          | 27370304   |
| Product description | SV Circuit-breaker component adaptor, 500 A, 690 V, 4-pole, cable outlet bottom, for switchgear make:, ABB |

---

# Approvals

---

|              |   |
|--------------|---|
| Explanations | Declaration of conformity<br>Declaration of conformity UK |
|--------------|---|