


Rittal – The System.

Faster – better – everywhere.



SV 9661.345 Busbars E-Cu

State: 22.05.2024. (Source: [rittal.com/hr-hr](https://www.rittal.com/hr-hr))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.345 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

Model No.	SV 9661.345
Product description	Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu.
Material	E-Cu
Ø hole	11 mm
Dimensions	Length: 365 mm
To fit	Width: = 400 mm
Cross-section	Flat copper bar width: 5 mm Flat copper bar thickness: 30 mm
Packs of	2 pc(s).
Weight/pack	0,99 kg
Copper weight (kg per piece)	0.49
Customs tariff number	74071000
EAN	4028177546875
ETIM 7.0	EC000329
ECLASS 8.0	27400605

Approvals

Approvals	UL + C-UL (listed)
-----------	--------------------

Approvals

Explanations	Declaration of conformity
	Declaration of conformity UK