

# Rittal – The System.

Faster – better – everywhere.



## AX 2394.100

# Base configuration rail

State: 8/04/2026 (Source: [rittal.com/ie-en](http://rittal.com/ie-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# AX 2394.100 - Base configuration rail for AX

Rail for flexible interior configuration of AX compact enclosures in combination with the new AX rail for interior installation. For mounting e.g. VX punched section with mounting flange 23 x 64 mm, LED system lights, VX cable clamp rails and support rails.



## Features

|                               |   |
|-------------------------------|---|
| Model No.                     | AX 2394.100   |
| Product description           | For mounting in the enclosure depth, on the existing threaded bolts, no machining required. System punchings on 2 sides. Creates additional installation options. |
| Material                      | Sheet steel   |
| Surface finish                | Zinc-plated   |
| Supply includes               | Assembly parts  |
| Length                        | 99 mm   |
| Installation options          | For installation in AX sheet steel, only in conjunction with rail for interior installation AX  |
| To fit                        | Enclosure type: AX  |
| Packs of                      | 4 pc(s).  |
| Net weight                    | 0.4 kg  |
| Gross weight                  | 0.451 kg  |
| PCF per pack (cradle-to-gate) | 1.6 kg CO2 eq (Cat B)   |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared  |
| Customs tariff number         | 73269098  |

# Features

---

|                     |                            |
|---------------------|----------------------------|
| ETIM 9              | EC002620                   |
| ETIM 8              | EC002620                   |
| ECLASS 8.0          | 27189234                   |
| Product description | AX base configuration rail |

---